

# CLIMBING COMBINATION WITH 4 TOWERS

JOC-66A



Physical disability



Sensory disability



Mental disorders



## TECHNICAL DATA SHEET



EN 1176



+ 3 years



40 users



1090 x 569 x 352 cm.



150-250 cm.



83,20 m<sup>2</sup>

<b>Structure</b>	Laminated Swedish pinewood autoclave treated
<b>Panels</b>	HDPE (High-density polyethylene) 13 and 19 mm
<b>Platforms and steps</b>	Phenolic nonslip plywood 15 and 18 mm
<b>Bars</b>	Stainless steel
<b>Ropes</b>	Armed rope with steel core and multiple polypropylene strings



3 px.



10 h.



765 kg.

# JOC-66A

# CLIMBING COMBINATION WITH 4 TOWERS

Playground structure formed by four towers with shed roofs and platforms of 100x100cm. Platforms at different height (1,30m and 1,50m). The towers are connected to each other via various types of climbing structures and balance bridges. Access to the towers with an inclined climbing net or via spiral stairs which are connected to a bar. Descending from the towers with sliding bars or a firemen's bar.

Bars of stainless steel. Rope connectors made of nylon. Screws made of galvanised steel and hidden by nylon coverings. Installation of the posts with ground sleeves of hot-dip galvanised steel.

