



ROCKS



TECHNICAL DATA SHEET

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| EN 1176 | + 3 years | 20 users | 437 x 300 x 268cm | 200 cm. | 33,50 m ² |

| | |
|-----------|--|
| Structure | Galvanised steel, powder coated with polyester |
| Panels | 19 mm HDPE (high-density polyethylene) |
| Grips | Resin and quartz sand |
| Ropes | Reinforced with steel core and PP multifilaments |
| Bars | Stainless steel |
| Slider | 150 cm straight stainless steel tube |

| | | |
|---|---|---|
|  |  |  |
| 2 px. | 12 h. | 890 kg |

ROC-47D1I

AMBER (Slide Stainless Steel)

AMBER consists of **two modules** connected diagonally, forming a compact yet versatile structure that encourages active play from different angles. A closed stainless steel tube slide starts from one of the modules at a height of 150 cm, offering a safe, dynamic and visually appealing descent.

On one side, there is a vertical fireman's pole-type ladder with curved side tubes that serve as support points for both ascending and descending.

The **ROCKS** range offers climbing wall structures designed to encourage active play, coordination and physical development in children through climbing. Each module is manufactured with a robust galvanised steel structure and polyester powder-coated finish, and 19 mm thick high-density polyethylene (HDPE) panels, materials that are highly resistant to intensive use and outdoor conditions.

The climbing holds allow children to tackle small physical challenges in a fun way, developing strength, balance and strategic thinking as they explore different climbing routes. The interior of the modules features climbing ropes that facilitate access and expand the possibilities for play, promoting physical activity and exploration from multiple angles.

